

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	interrupt\$2 near4 (co?process\$3) near4 (pseudo? instruction\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/04/04 15:45
S2	1	(interrupt\$2 near4 (co?process\$3)) with (pseudo? instruction\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/04/04 15:44
S3	1	(interrupt\$2 near4 (co?process\$3)) same (pseudo? instruction\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/04/04 15:44
S4	1	(interrupt\$2 near4 (co?process\$3)) and (pseudo? instruction\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/04/04 15:44
S5	5	interrupt\$2 near4 (co?process\$3) near4 register\$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/04/04 16:48
S6	4876	(interrupt\$1 near4 (control\$4 or arbit \$3 or rout\$3 or APIC)) same (interrupt\$1 near4 register\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/04/04 16:50
S7	606	(interrupt\$1 near4 (control\$4 or arbit \$3 or rout\$3 or APIC)) same (interrupt\$1 adj1 register\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/04/05 11:50
S8	385	(interrupt\$1 near4 (control\$4 or arbit \$3 or rout\$3 or APIC)) with (interrupt\$1 adj1 register\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/04/05 11:50

S9	1	((interrupt\$1 near4 (control\$4 or arbit\$3 or rout \$3 or APIC)) with (interrupt\$1 adj1 register\$1)) and ((PC or (program adj1 count\$4)) near4 (interrupt adj1 register\$1) near4 compar\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/04/05 12:51
S10	1	((interrupt\$1 near4 (control\$4 or arbit\$3 or rout \$3 or APIC)) with (interrupt\$1 adj1 register\$1)) and ((PC or (program adj1 count\$4)) with (interrupt adj1 register\$1) with compar\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/04/05 12:52
S11	7	((interrupt\$1 near4 (control\$4 or arbit\$3 or rout \$3 or APIC)) with (interrupt\$1 adj1 register\$1)) and ((PC or (program adj1 count\$4)) with (interrupt adj1 register\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/04/05 13:01
S12	3	((interrupt\$1 near4 (control\$4 or arbit\$3 or rout \$3 or APIC)) with (interrupt\$1 adj1 register\$1)) and (interrupt near4 instruction\$1 near4 pipelin\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/04/05 13:01
S13	4	((interrupt\$1 near4 (control\$4 or arbit\$3 or rout \$3 or APIC)) with (interrupt\$1 adj1 register\$1)) and (interrupt with instruction\$1 with pipelin\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/04/05 13:02

S14	528	(712/244).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/28 09:37
S15	317	(712/233).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/28 09:37
S16	178	(712/38).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/28 09:37
S17	59	(712/40).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/28 09:37
S18	1064	(710/260).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/28 09:37
S19	250	(710/266).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/28 09:37
S20	62	(712/40).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/03/28 09:37
S21	182	(712/38).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/03/28 09:37
S22	347	(712/233).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/03/28 09:37
S23	581	(712/244).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/03/28 09:37
S24	1196	(710/260).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/03/28 09:37
S25	284	(710/266).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/03/28 09:37
S26	13	interrupt\$3 near4 (replac\$3 or substitut\$3 or remov\$3) near4 fetch\$3 near4 instruction\$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/28 10:30

S27	14	interrupt\$3 with ((replac\$3 or substitut\$3 or remov\$3) near4 fetch\$3 near4 instruction\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/28 10:32
S28	24	interrupt\$3 with ((replac\$3 or substitut\$3 or remov\$3) with fetch\$3 with instruction\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/28 10:32
S29	9	("4293908"   "4797853"   "4875160"   "5055999"   "5113521"   "5822578"   "5974522"   "6003129"   "6061787").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/03/28 11:18
S30	1	("6704863"). URPN.	USPAT	OR	OFF	2007/03/28 12:14
S31	300	(interrup\$3 or except\$5 or trap \$5) near4 (replac \$3 or substitut\$3) near4 instruction \$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/28 12:53
S32	13	(interrup\$3 or except\$5 or trap \$5) near4 (replac \$3 or substitut\$3) near4 instruction \$1 near4 fetch\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/28 12:53
S33	72	(712/40).OCLS.	US-PGPUB; USPAT	OR	OFF	2009/05/19 13:36
S34	193	(712/38).OCLS.	US-PGPUB; USPAT	OR	OFF	2009/05/19 13:36
S35	404	(712/233).OCLS.	US-PGPUB; USPAT	OR	OFF	2009/05/19 13:36
S36	686	(712/244).OCLS.	US-PGPUB; USPAT	OR	OFF	2009/05/19 13:36
S37	1399	(710/260).OCLS.	US-PGPUB; USPAT	OR	OFF	2009/05/19 13:36
S38	327	(710/266).OCLS.	US-PGPUB; USPAT	OR	OFF	2009/05/19 13:36

S39	5	((precis\$3 near4 interrupt\$3) with (external near4 interrupt\$3)) same (interrupt\$3 near4 (branch\$3 or instruction\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/05/19 13:37
S40	3	((breakpoint\$1) with (external near4 interrupt \$3)) same (interrupt\$3 near4 (branch\$3 or instruction\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/05/19 13:47
S41	92	((software) with (external near4 interrupt\$3)) same (interrupt\$3 near4 (branch\$3 or instruction\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/05/19 16:51
S42	56	((software) near4 (external near4 interrupt\$3)) same (interrupt\$3 near4 (branch\$3 or instruction\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/05/19 16:51
S43	16	((software) near4 (external near4 interrupt\$3)) with (interrupt\$3 near4 (branch\$3 or instruction\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/05/19 16:51
S44	1	((PC\$1 or (program adj1 counter\$1)) near4 ((interrupt\$1 or breakpoint\$1) adj2 register\$1) near4 compar\$3) with (external adj1 interrupt\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/05/19 16:59

S45	1	((PC\$1 or (program adj1 counter\$1)) near4 ((interrupt\$1 or breakpoint\$1) adj2 register\$1)) with compar\$3) with (external adj1 interrupt\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/05/19 16:59
S46	1	((PC\$1 or (program adj1 counter\$1)) with ((interrupt\$1 or breakpoint\$1) adj2 register\$1)) with compar\$3) with (external adj1 interrupt\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/05/19 16:59
S47	1	((PC\$1 or (program adj1 counter\$1)) with ((interrupt\$1 or breakpoint\$1) adj2 register\$1)) with compar\$3) with (external near4 interrupt\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/05/19 16:59
S48	15	((PC\$1 or (program adj1 counter\$1)) with ((interrupt\$1 or breakpoint\$1) adj2 register\$1)) with compar\$3) with (external with interrupt\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/05/19 16:59
S49	1	((PC\$1 or (program adj1 counter\$1)) with ((interrupt\$1 or breakpoint\$1) adj2 register\$1)) with match\$3) with (external with interrupt\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/05/20 16:08

S50	1	((PC\$1 or (program adj1 counter\$1)) with ((interrupt\$1 or breakpoint\$1) adj2 register\$1)) with match\$3) same (external with interrupt\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/05/20 16:30
S51	1	((PC\$1 or (program adj1 counter\$1)) with ((interrupt\$1 or breakpoint\$1) adj2 register\$1)) with match\$3) same (external with interrupt\$1)). clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/05/20 16:49
S52	1	((PC\$1 or (program adj1 counter\$1)) with ((interrupt\$1 or breakpoint\$1) adj2 register\$1)) with match\$3) with (external with interrupt\$1)).clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/05/20 16:49
S53	1	((PC\$1 or (program adj1 counter\$1)) with ((interrupt\$1 or breakpoint\$1) adj2 register\$1)) with compar\$3) with (external with interrupt\$1)).clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/05/20 16:49
S54	2	((software) near4 (external near4 interrupt\$3)) with (interrupt\$3 near4 (branch\$3 or instruction\$1))). clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/05/20 16:49

S55	2	((software) near4 (external near4 interrupt\$3)) same (interrupt\$3 near4 (branch\$3 or instruction\$1))). clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/05/20 16:50
S56	0	((precis\$3 near4 interrupt\$3) with (external near4 interrupt\$3)) same (interrupt\$3 near4 (branch\$3 or instruction\$1))). clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/05/20 16:50
S57	1	((breakpoint\$1) with (external near4 interrupt \$3)) same (interrupt\$3 near4 (branch\$3 or instruction\$1))). clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/05/20 16:50
S58	30	interrupt\$3 with ((replac\$3 or substitut\$3 or remov\$3) with fetch\$3 with instruction\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/05/20 16:51
S59	17	interrupt\$3 with ((replac\$3 or substitut\$3 or remov\$3) near4 fetch\$3 near4 instruction\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/05/20 16:51
S60	1	(interrupt\$3 with ((replac\$3 or substitut\$3 or remov\$3) with fetch\$3 with instruction\$1)). clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/05/20 16:51
S61	1	(interrupt\$3 with ((replac\$3 or substitut\$3 or remov\$3) near4 fetch\$3 near4 instruction\$1)). clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/05/20 16:51



S62	1	((Barrett-Geoff\$) and (Porter-Richard \$)).in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/05/20 16:52
S63	1	((Barrett-Geoff\$) and (Porter-Richard \$)).in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/10/08 14:31
S64	73	(712/40).CCLS.	US-PGPUB; USPAT	OR	OFF	2009/10/08 14:31
S65	195	(712/38).CCLS.	US-PGPUB; USPAT	OR	OFF	2009/10/08 14:31
S66	414	(712/233).CCLS.	US-PGPUB; USPAT	OR	OFF	2009/10/08 14:31
S67	703	(712/244).CCLS.	US-PGPUB; USPAT	OR	OFF	2009/10/08 14:32
S68	1445	(710/260).CCLS.	US-PGPUB; USPAT	OR	OFF	2009/10/08 14:32
S69	338	(710/266).CCLS.	US-PGPUB; USPAT	OR	OFF	2009/10/08 14:32
S70	5	((precis\$3 near4 interrupt\$3) with (external near4 interrupt\$3)) same (interrupt\$3 near4 (branch\$3 or instruction\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/10/08 14:35
S71	3	((breakpoint\$1) with (external near4 interrupt \$3)) same (interrupt\$3 near4 (branch\$3 or instruction\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/10/08 14:35
S72	16	((software) near4 (external near4 interrupt\$3)) with (interrupt\$3 near4 (branch\$3 or instruction\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/10/08 14:36

S73	1	((PC\$1 or (program adj1 counter\$1)) near4 ((interrupt\$1 or breakpoint\$1) adj2 register\$1) near4 compar\$3) with (external adj1 interrupt\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/10/08 14:37
S74	1	((PC\$1 or (program adj1 counter\$1)) near4 ((interrupt\$1 or breakpoint\$1) adj2 register\$1)) with compar\$3) with (external adj1 interrupt\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/10/08 14:37
S75	1	((PC\$1 or (program adj1 counter\$1)) with ((interrupt\$1 or breakpoint\$1) adj2 register\$1)) with compar\$3) with (external near4 interrupt\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/10/08 14:38
S76	15	((PC\$1 or (program adj1 counter\$1)) with ((interrupt\$1 or breakpoint\$1) adj2 register\$1)) with compar\$3) with (external with interrupt\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/10/08 14:38
S77	1	((PC\$1 or (program adj1 counter\$1)) with ((interrupt\$1 or breakpoint\$1) adj2 register\$1)) with match\$3) with (external with interrupt\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/10/08 14:38

S78	1	(((PC\$1 or (program adj1 counter\$1)) with ((interrupt\$1 or breakpoint\$1) adj2 register\$1)) with match\$3) same (external with interrupt\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/10/08 14:38
S79	1	(((PC\$1 or (program adj1 counter\$1)) with ((interrupt\$1 or breakpoint\$1) adj2 register\$1)) with match\$3) same (external with interrupt\$1)).clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/10/08 14:38
S80	1	(((PC\$1 or (program adj1 counter\$1)) with ((interrupt\$1 or breakpoint\$1) adj2 register\$1)) with match\$3) with (external with interrupt\$1)).clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/10/08 14:38
S81	1	(((PC\$1 or (program adj1 counter\$1)) with ((interrupt\$1 or breakpoint\$1) adj2 register\$1)) with compar\$3) with (external with interrupt\$1)).clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/10/08 14:38
S82	2	(((software) near4 (external near4 interrupt\$3)) with (interrupt\$3 near4 (branch\$3 or instruction\$1))).clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/10/08 14:38

S83	2	((software) near4 (external near4 interrupt\$3)) same (interrupt\$3 near4 (branch\$3 or instruction\$1))). clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/10/08 14:38
S84	0	((precis\$3 near4 interrupt\$3) with (external near4 interrupt\$3)) same (interrupt\$3 near4 (branch\$3 or instruction\$1))). clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/10/08 14:39
S85	1	((breakpoint\$1) with (external near4 interrupt \$3)) same (interrupt\$3 near4 (branch\$3 or instruction\$1))). clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/10/08 14:39
S86	31	interrupt\$3 with ((replac\$3 or substitut\$3 or remov\$3) with fetch\$3 with instruction\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/10/08 14:39
S87	18	interrupt\$3 with ((replac\$3 or substitut\$3 or remov\$3) near4 fetch\$3 near4 instruction\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/10/08 14:39
S88	2	(interrupt\$3 with ((replac\$3 or substitut\$3 or remov\$3) with fetch\$3 with instruction\$1)). clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/10/08 14:39
S89	2	(interrupt\$3 with ((replac\$3 or substitut\$3 or remov\$3) near4 fetch\$3 near4 instruction\$1)). clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/10/08 14:39

S90	43	(interrupt\$1 or exception\$1) with (compar\$3) with (((program adj1 counter\$1) or PC \$1) with ((interrupt \$1 or exception\$1) near4 (register\$1 or address\$2)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/10/08 14:41
S91	35	(interrupt\$1) with (compar\$3) with (((program adj1 counter\$1) or PC \$1) with (interrupt \$1 near4 (register \$1 or address\$2)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/10/08 14:41
S92	35	(compar\$3) with (((program adj1 counter\$1) or PC \$1) with (interrupt \$1 near4 (register \$1 or address\$2)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/10/08 14:41
S93	58	(compar\$3) same (((program adj1 counter) or PC) with (interrupt\$1 near4 (register\$1 or address\$2)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/10/08 14:48
S94	37	(compar\$3) with (((program adj1 counter) or PC) with (interrupt\$1 with (register\$1 or address\$2)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/10/08 14:48

### EAST Search History (I nterference)

< This search history is empty >

10/ 12/ 09 6:33:40 PM

C:\ Documents and Settings\ ALi\ My Documents\ EAST\ Workspaces\ 10664055.wsp